

VILLAGE OF HUNTINGTON BAY

MS4 PERMIT # NYR200A29

STORMWATER MANAGEMENT PLAN (SWMP)

2026 ANNUAL UPDATE

DRAFT FOR TRUSTEE REVIEW

**Prepared by:
Jeffrey P. Vollmuth, P.E.
Village Engineer
Vollmuth & Brush
200 Blue Point Avenue
Blue Point, NY 11715**

Table of Contents

| | |
|---|-----------|
| 1.0 STREET MAINTENANCE: | 1 |
| 1.1 Catch Basin Inspections:..... | 1 |
| 1.1.1 Inspection Method:..... | 1 |
| 1.1.2 Reporting Method:..... | 2 |
| 1.1.3 Reporting Period 2025:..... | 2 |
| 1.1.4 2026 Reporting Period Goals..... | 3 |
| 1.2 Leaching Basin Inspections:..... | 5 |
| 1.2.1 Inspection Method:..... | 5 |
| 1.2.2 Reporting Method:..... | 5 |
| 1.2.3 2025 Reporting Period..... | 5 |
| 1.2.4 2026 Reporting Period Goals..... | 5 |
| 2.0 WINTER ROADWAY MAINTENANCE: | 6 |
| 2.1 Implementation:..... | 6 |
| 2.2 2025 Reporting Period..... | 6 |
| 2.3 2026 Reporting Period Goals..... | 7 |
| 3.0 STREET SWEEPING: | 7 |
| 3.1 Implementation:..... | 7 |
| 3.2 Reporting Period 2025:..... | 7 |
| 3.3 2026 Reporting Period Goals..... | 7 |
| 4.0 VILLAGE VEHICLE MAINTENANCE: | 7 |
| 5.0 DOG WASTE PROGRAM: | 8 |
| 5.1 Reporting Period 2025:..... | 8 |
| 5.2 2026 Reporting Period Goals..... | 8 |
| 6.0 GOOSE FEEDING PROHIBITION: | 8 |
| 6.1 Reporting Period 2025..... | 9 |
| 6.2 2026 Reporting Period Goals..... | 9 |
| 7.0 FERTILIZER APPLICATION: | 9 |
| 7.1 Reporting Period 2025..... | 9 |
| 7.2 2026 Reporting Period Goals..... | 9 |
| 8.0 ILLICIT DISCHARGE DETECTION: | 10 |
| 8.1 Reporting Period 2025..... | 10 |
| 8.2 2026 Reporting Period Goals..... | 10 |
| 9.0 PUBLIC PARTICIPATION AND COMMENT: | 11 |
| 9.1 Reporting Period 2025..... | 11 |
| 9.2 2026 Reporting Period Goals..... | 11 |
| 10.0 ON SITE SANITARY SYSTEMS: | 11 |
| 10.1 2025 Reporting Period..... | 13 |
| 10.2 2026 Reporting Period Goals..... | 14 |
| 11.0 GIS MAPPING OF VILLAGE CONVEYANCE SYSTEM: | 14 |
| 11.1 2025 Reporting Period..... | 14 |
| 11.2 2026 Reporting Period Goals..... | 14 |
| 12.0 LOCAL WATERFRONT REVITALIZATION PROGRAM (LWRP): | 14 |
| 12.1 2025 Reporting Period:..... | 15 |
| 12.2 2026 Reporting Period Goals:..... | 15 |
| 13.0 GENERAL PERMIT COMPLIANCE SUMMARY | 16 |
| 13.1 Part VI. Minimum Control Measures (MCMs) for Traditional Land Use Control MS4 Operators..... | 16 |
| 13.1.1 MCM 1 – Public Education and Outreach Program..... | 16 |
| 13.1.2 MCM 2 – Public Involvement/Participation..... | 17 |
| 13.1.3 MCM 3 – Illicit Discharge Detection and Elimination..... | 17 |
| 13.1.4 MCM 4 – Construction Site Stormwater Runoff Control..... | 17 |
| 13.1.5 MCM 5 – Post-Construction Stormwater Management..... | 19 |
| 13.1.6 MCM 6 – Pollution Prevention and Good Housekeeping..... | 19 |
| 13.2 Part VIII. Enhanced Requirements for Impaired Waters..... | 20 |
| 13.2.1 Pollutant Specific BMPs for Pathogens..... | 20 |
| 14.0 VILLAGE CODE SECTIONS: | 21 |

1.0 Street Maintenance:

General:

The Village of Huntington Bay owns and maintains approximately 4.9 miles of roadways. The Village roadways are tributary to subsurface leaching basins and catch basins. These basins serve the dual purpose of flood control and protection of water quality. If the stormwater system is not properly maintained the capacity of the system to control street flooding will be directly impacted. In addition the system will not function as a water quality treatment device. Each basin receives first flush runoff from the streets that would ultimately discharge to the Harbor or Bay if the basins are not functional. First flush runoff contains up to 90% of the pollutant loading from a drainage basin. The basins capture sediments, oils, greases, nutrients and bacteria.

The locations of existing catch basins and drainage areas in the Village of Huntington Bay are depicted on Sheets 1 -5 Tributary Analysis Plans dated 7/15/99 last updated 6/15/11 prepared by Vollmuth & Brush.

Catch basins and leaching pools are impacted by excessive buildup of sediment and materials which clog catch basins and ultimately decrease the leaching rates of connected structures. It is therefore important that the connected catch basins be inspected on an annual basis and serviced to remove accumulated debris. In addition the connected leaching pools require periodic maintenance inspections to remove accumulated sediments.

1.1 Catch Basin Inspections:

The Village of Huntington Bay will maintain an inspection record of all Village owned and/or maintained catch basins. For the purposes of this implementation, leaching pools with grate inlets will also be considered "catch basins". The inspection will occur annually during the months of March and April.

1.1.1 Inspection Method:

Each catch basin will be visually inspected for standing water or excessive floatable material. The depth below grade of standing water will be recorded on the inspection form. This inspection will also report the presence of petroleum sheen in the basin.

Each catch basin will be measured to determine accumulation of sediment. The depth below grade of the sediment will be recorded. In addition the depth below the outlet will be recorded.

All catch basins which have trash, sediment or debris accumulations of more than 50% of the free depth between the outlet and bottom of the catch basin will be scheduled for maintenance cleaning within a 6 month period of the inspection. Basins which have less than 50% accumulation will be scheduled for cleaning within 1 year from the date of inspection.

Catch basins which are inspected and determined to have a significant floating layer of petroleum will be cleaned using an absorbent pad removed and disposed of prior to the next rainfall event.

Leaching catch basins/pools which are holding water more than 48 hours measured to be ½ of the effective depth of the leaching pool/basin will be scheduled for reinspection after (7) days of dry weather. If the standing water persists in the basin after the (7) day period it will be scheduled for a maintenance cleaning.

Maintenance of catch basins will include vacuum removal of accumulated sediment and to reestablish leaching. If the vacuum procedure removes more than 1 ft of sand below the bottom of the pool it will be replaced with clean sand to maintain the structure.

The Village is responsible for the inspection and maintenance of the following stormwater inlets and associated systems:

| | | Inventory Label |
|-------------------------------|-----------|------------------------|
| Village ROWs: | 78 inlets | V# |
| Wincoma Association ROWs: | 14 inlets | VW# |
| Baycrest Association ROWs: | 14 inlets | VB# |
| Nathan Hale Association ROWs: | 2 inlets | VN# |
| Bay Hills Association ROWs: | 24 inlets | VBH# |
| Site Plan Required: | 2 inlets | VA# |

A total of 136 stormwater inlets will be inspected and maintained by the Village. This is a significant increase in responsibility. As a result of the decision by Village Trustees the number of basins municipally maintained increases from 69 to 134.

A total of 186 catch basin inlets were inventory located and labeled. The remaining inlets are privately maintained.

1.1.2 Reporting Method:

The catch basin inspection will be reported on the attached data sheet. The Village will maintain a record of maintenance on each catch basin within the Village maintained collection system. The maintenance record will include quantity of material removed from each basin.

On an annual basis the East Shore Road filter inserts will be removed and replaced. A record will be maintained of replacement date and quantity of material removed.

1.1.3 Reporting Period 2025:

The Village serviced a total of (167) catch basin inlets were inspected and cleaned during the 2025 reporting period. All East Shore Road Filter Inserts (9) were replaced and (2) Filter Inserts were installed at the Shore Drive discharge.

The Village received Grant Funding to modify the existing 18 inch stormwater discharge to Huntington Bay which discharges immediately adjacent to the Bay Hills Beach Club. The inlets were modified by installation of a new standard catch basin. In addition, a tidal check valve has been installed to prevent backflow and Street flooding during surge events. The installed inlets were fitted with filters designed to remove pathogens prior to discharge to the Bay.

The Village received Grant Funding to install new leaching basins and catch basins in Huntington Bay Road. Prior to the installation of the Basins the tributary area of the roadway discharged to a drainage swale which carried runoff to the Huntington Bay. A total of (4) 12 ft diameter x 12 ft deep leaching basins were installed with catch basin inlets.

The Village budget has been modified to include sufficient funds to annually inspect all drainage and service for removal of material. The budget includes the replacement costs of all installed filters.

1.1.4 2026 Reporting Period Goals

Update the Village Drainage Plan to include the inlets and leaching basins installed in 2025 including GIS locations. In addition, the Village will inspect all existing inlets labels and replace as necessary. Confirm that all inlets are shown/located on the Village GIS Map. Purchase replacement identification labels for all basins in the Village. The labels are important to reporting of drainage issues and potential illicit discharges.

Continue to maintain a record of basins inspected, cleaned and material removal for each inlet. Include the service information for all inlets filters. The data form for record keeping is attached to this report.

The Village is pursuing a number of Drainage Improvements which require Grant Approval. In each case the proposed drainage improvement will reduce discharge to the Harbor and Bay improving surface water quality.

The following projects are currently under consideration:

Harbor Hill/East Shore Road

Pursue grant funding to improve drainage conditions at the intersection of East Shore Road and Harbor Hill Road. The historical ramp at the intersection represents a break in the existing seawall protection East Shore Road. Roadway drainage flows overland down the ramp to the Harbor. The grant proposal will include:

- Repair of Existing Seawall along Village Harbor Frontage
- Installation of (2) catch basins with 2 ft sediment sumps
- Installation of (2) 12 inch discharges to the Harbor fitted with tidal check valves
- Installation of (2) FABCO filters
- Planting of the area between the roadway and new seawall with natural/native plants

Kane Lane/East Shore Road Intersection:

Continue to explore the proposed improvement of the Kanes Lane/East Shore Road Intersection drainage improvement. This improvement includes the following:

- (5) Catch Basins: Inventory ID V4, V45, V6, V7 & V176
- Install new standard double catch basin
- Install (3) inlet Filter (double CB)
- Install (4) single filter inserts on remaining CBs

**This work requires the replacement of an existing nonstandard inlet which receives a major portion of the tributary flow. A standard precast double inlet will be installed and fitted with FABCO filters. There are no construction records at this location and therefore it is likely that the proposed construction work will interfere with existing utilities etc.*

The timeframe for installation of the proposed improvement will be established after receiving/reviewing of contractor bids and obtaining grant funding to support the work. The installation may require a number of years to fund based on budgetary considerations.

Fleetwood Drive

The existing inlet A131 located in the western portion of the Fleetwood Drive loop road is connected to a 12 inch diameter pipe that discharges to a valley/swale located on private property. The drainage runs overland and flows into Huntington Bay adjacent to Locust Lane. This has resulted in flooding of private property and potential discharge of nutrients and pathogens to Huntington Bay. The Locust Lane discharge mapped on the IDDE # 2003 is approximately 500 ft east of the existing Nathan Hale Beach Club. The proposed improvements will install (2) catch basins at A131 connected to (2) 10 ft diameter x 12 ft deep leaching pools. In addition, 2 catch basins connected to (2) 10 ft diameter x 12 ft deep leaching pools will be installed at the northern end of Fleetwood Drive at the existing roadway low point. The existing low point overflows the roadway and discharges north towards the Bay.

Lower Drive

The intersection of Lower Drive and Locust Lane will be improved with (2) catch basins and (2) proposed 10 ft diameter x 12 ft deep leaching basins. This improvement will reduce the volume of runoff discharging towards the existing Locust Lane drainage improvements and ultimately reduce discharge to the Bay at IDDE# 2003 outfall at the northern terminus of Locust Lane.

1.2 Leaching Basin Inspections:

In cases where leaching basins receive discharge from properly maintained catch basins the potential for sediment/oil clogging of the soils which provide percolation is reduced. Catch basins however are not 100% effective in removing materials. Leaching basins therefore over time will accumulate sediment which impacts the efficiency of disposal.

1.2.1 Inspection Method:

Leaching basins shall be inspected every (3) years to determine if excessive sediment is present. The basins will be opened and measured to determine if there is standing water 48 hours after a storm event of more than 0.5 inches. Leaching pools that have more than 50% of the depth impacted by standing water will be scheduled for a reinspection after (7) days of dry weather. If the basin continues to have a standing water elevation of more than 50 % of its depth it will be scheduled for cleaning.

Cleaning of leaching pools will be accomplished using a vacuum truck to remove accumulated sediment and restore leaching.

1.2.2 Reporting Method:

The leaching basin inspection will be reported on the attached data sheet. The Village will maintain a record of maintenance on each leaching basin within the Village maintained collection system. The maintenance record will include quantity of material removed from each basin.

1.2.3 2025 Reporting Period

The Village has modified the budget to include funding for leaching basin inspection/cleaning.

In 2025 a total of (15) leaching basins were serviced.

The Village did not meet its goal to inspect and service all leaching basins in 2025. It did however begin cleaning and mapping the locations.

1.2.4 2026 Reporting Period Goals

The Village will continue to move forward with servicing of leaching basins. The leaching basins are important to the function of Street drainage and the removal of contaminants prior to surface water overflow.

As each leaching basin is inspected and serviced it will be GIS located and number coordinated with the drainage plan. The Drainage plan currently includes inlet locations but does not provide location of all connected leaching pools to improve service.

2.0 Winter Roadway Maintenance:

The roadways within the Village are tributary to catch basins and leaching pools. In addition there are portions of the Village where roadways may overflow into the surrounding surface waters of the Bay and Harbor during significant storm events. Excessive application of sand and deicing salts to the roadways in the Village could result in water quality impacts to the Bay and Harbor. In addition, excessive sand application will increase the frequency and cost of catch basin and leaching pool maintenance.

The Village of Huntington Bay purchases and stores salt and sand in Town of Huntington facilities. There is no storage of salt or sand within the Village boundaries. The Town of Huntington is a participating member of the MS4 program and therefore it is assumed that the materials are properly stored and protected.

The Village does not own or operate salt spreaders, snow plows or sanders. The Village contracts with a vendor/contractor for winter roadway maintenance. The vendor utilizes the Village material stockpile stored at the Town of Huntington facility. The Village purchases the sand and salt from the same vendor utilized by the Town. It is in the best interest of the Village to monitor the amount of salt and sand applied by the contractor. Excessive application/use of sand and salt will increase annual maintenance costs to the Village.

2.1 Implementation:

The contractor/vendor selected for the winter maintenance of the roadways within the Village will be required to confirm that he is familiar with the NYSDEC Best Management Practices regarding application of the materials.

The application of the materials to Village roadways will be monitored to determine if excessive salt or sand has been applied by the vendor/contractor.

The MSDS sheets for the salt purchased for application to Village roadways will be reviewed for contaminants of concern.

2.2 2025 Reporting Period

The contractor/vendor was unable to provide a gross volume of sand/salt applied during the 2025 reporting period.

2.3 2026 Reporting Period Goals

Continue to monitor salt application to Village roadways. Provide annual purchase volume as a means of tracking gross application.

3.0 Street Sweeping:

The removal of accumulated sand and debris from Village Maintained roadways is important to the reduction of the pollutant loading to the catch basins and leaching systems which provide drainage and disposal of runoff. In addition, the removal of the material reduces the potential for sand and silt runoff to the Bay and Harbor Areas.

3.1 Implementation:

The Village of Huntington Bay retains a contractor for the removal of accumulated sand and silt on the roadways. Roadways are visually inspected by the Village Highway Superintendent to determine need for removal. At a minimum all Village roadways are swept once per year. The record of roadways swept, date of cleaning, material removal quantities and disposal location will be maintained.

3.2 Reporting Period 2025:

During 2025 the Village of Huntington Bay and the Town of Huntington entered into a Intra municipal Agreement. Under the Agreement the Town of Huntington is responsible for sweeping of all Village roadways as part of the “shared services” tax. The agreement is in place for 6 years. The agreement includes disposal of material at their approved site.

During the 2025 reporting period the Village roadways were swept by the Town of Huntington.

3.3 2026 Reporting Period Goals

Continue under the existing Village/Town agreement. The Village will request that the Town provide a summary of roadways swept and date of service. If possible the quantity of material removed will be provided.

4.0 Village Vehicle Maintenance:

The Village of Huntington Bay Police vehicles are maintained at licensed facilities outside of the Village. Onsite maintenance of vehicles including car washing does not occur within the Village. The Village does not own or operate additional vehicles.

5.0 Dog Waste Program:

The Village has adopted a local law regarding dog waste which requires the removal and disposal of feces by the pet owners. (Section 20-11). It is important to encourage residents to comply with the regulations to reduce the loading of fecal bacteria to Huntington Harbor and Huntington Bay.

A total of (10) dog waste bag stations have been installed within the Village. The Village is responsible for supplying bags and maintaining the stations. The stations are located adjacent to Beach access locations and areas where residents have requested an installation.

5.1 Reporting Period 2025:

The Village has continued to purchase and install dog waste bags at the (10) locations in the Village. During the 2025 reporting period the Village provided replacement bags to maintain the stations. An informational brochure has been created for upload to the web site.

5.2 2026 Reporting Period Goals

Continue to monitor existing dog waste bag stations and provide replenishment bags. Upload the information to the web site explaining why it is important for residents to pick up and properly dispose of waste to reduce incidence of pathogen related beach closures.

6.0 Goose Feeding Prohibition:

It is important to limit the quantities of goose feces which are discharged to the Huntington Harbor and Huntington Bay. Runoff which contains goose waste creates additional fecal bacterial loading to the surrounding surface waters.

The Village of Huntington Bay adopted a new local law 12/13/11 (filed with NYS 12/21/11) which prohibits the feeding of geese and other waterfowl within the Village.

It should be noted that the Village does not own or control significant non roadway property. Therefore the control of geese populations within the Village requires actions by private landowners and Associations. In both cases geese droppings adversely impact the ability to utilize/enjoy private yards and Association beaches. The Village will explore successful methods of geese control that have been utilized in Huntington Harbor and Huntington Bay by adjacent Villages. If the Village can implement the control measure along a ROW area to control geese it will be considered by the Trustees.

The impact of goose droppings on surface water quality in the Village may be linked to the recent Cyanobacteria (Blue Green Algae) bloom in Willow Pond. On 4/17/17 the Suffolk County notified the Village the algae is present in Willow Pond. Human and domestic pet warning notices were posted around the pond by Suffolk County. Willow Pond is a private surface water surrounded by private property. Geese are utilizing the Pond and private

yard areas year round. The droppings from the geese are impacting Pond water quality. The bacteria associated with droppings may also be contributing to the beach closures which occurred in 2016 within the Village.

6.1 Reporting Period 2025

Continue to monitor the actions of residents to control geese and the rate of success. Review programs utilized in surrounding MS4 areas and determine if the methods can be applied to the Village. The Village will purchase (6) signs to encourage residents not to feed wildlife and post them along East Shore Road ROW (Harbor waterfront) and at the (3) ROWs which terminate at the Bay Beach.

6.2 2026 Reporting Period Goals

The signs were not installed in 2025. The Village indicates that they will be ordered and installed in 2026.

7.0 Fertilizer Application:

The discharge of stormwater runoff to the tidal and freshwater wetlands and surface waters located within or adjacent to the Village of Huntington Bay can adversely impact the water quality and habitat. It is therefore desirable to reduce overall fertilizer use within the Village of Huntington Bay.

The Village posted Suffolk County rules and regulations concerning contractor application of Fertilizer. Suffolk County prohibits the application of Fertilizer from November 1 to April 1.

7.1 Reporting Period 2025

The Village web site includes the information regarding restricting fertilizer use and controlled application. Under Local Law 2-2024 Code Section 15A Commercial Landscapers that require license to work in the Village are provided with the regulations regarding fertilizer application. Part of this registration requires them to hold a valid Suffolk County license, which mandates that they complete a "Suffolk County Fertilizer Turf Management" course.

7.2 2026 Reporting Period Goals

Continue to monitor compliance with the Code Section 15A and restrict fertilizer application. In addition encourage property owners to limit fertilizer dependent vegetation within 10 ft of the surface waters and wetlands. When Site Plans are reviewed proposing clearing and revegetation adjacent to surface waters and wetlands require that a 10 ft wide non fertilizer depending vegetation be established as part of the landscape plan.

8.0 Illicit Discharge Detection:

A comprehensive study was completed on 12/1/09 by the Cornell Cooperative Extension of Suffolk County of potential illicit discharges within the Village of Huntington Bay. The study provides locations of all outfalls within the Village. The results of the study did not identify the presence of an illicit discharge to the surface waters within/adjacent to the Village. It is important to identify and eliminate illicit discharges to the Village owned stormwater system. Discharges of contaminants to leaching pools and drains can potentially result in contamination of the Harbor and Bay.

Cornell Cooperative Exchange completed the IDDE Report and Mapping during 2024. A copy of the IDDE Report and Map is available on the Village website. The interactive Map includes GIS data, details of the discharge and photographs of the location. A link to the Map is provided on the Village web site. A total of (41) Outfalls are identified in the IDDE Report/Survey. The monitoring and testing of the outfalls confirms that they are not classified as illicit.

An IDDE informational brochure was created and is posted on the Village web site explaining why it is important to report suspected discharges to the Village.

An IDDE reporting flow chart to assist in response to potential discharges within the Village has been created. The responsibilities of Village personnel as part of the program are provided as part of the chart.

8.1 Reporting Period 2025

The following representatives of the Village completed IDDE training. Each representative completed the online training course created by Cornell University.

Village Mayor
Village Administrator (Stormwater Program Coordinator)
Village Engineer
Village Building Inspector
Highway Trustee

The representatives listed are part of the “Village of Huntington Bay Illicit Discharge Report Flow Chart”.

In addition to the Village representatives listed the IDDE Training course will be offered to members of the Private Roadway and Beach Associations within Village.

8.2 2026 Reporting Period Goals

Continue to encourage members of the Private Roadway and Beach Associations within the Village to complete the online training course. In addition request that members of the Local Waterfront Protection Committee complete the course.

9.0 Public Participation and Comment:

It is important to inform and educate the Village Residents regarding the MS4 Stormwater Management Program. Residents within the Village of Huntington Bay can assist in the development of program goals which may significantly improve water quality in the Bay and Harbor. In addition, as residents become educated regarding the implementation of best management practices to improve stormwater quality it is likely that contaminant loading to the surrounding surface waters will be reduced.

9.1 Reporting Period 2025

The Village continued to update the website with MS4 Reports and the Stormwater Management Plan.

Utilize the Village website to improve communication with residents regarding the MS4 program. This will include posting of Draft Studies and Reports to the website.

9.2 2026 Reporting Period Goals

Continue to update the Village web site with information regarding the Stormwater Management Programs, Requirements and Regulations in the Village.

10.0 On Site Sanitary Systems:

The Village of Huntington Bay does not contain sanitary sewers. The sanitary waste generated by residences and beach clubs within the Village discharge waste to onsite septic systems. The on site septic systems are under the direct supervision of the Suffolk County Department of Health Services.

The water quality of Huntington Harbor and Bay is impacted by pathogens. The presence of E coli bacteria above NYSDEC Water Quality and SCDHS standards has resulted in closure of shell fishing and beach uses. The sources of bacteria include stormwater runoff which contains wildfowl and dog waste contamination, illicit discharges of sanitary waste and non compliant poorly operating on site sanitary systems. The Village of Huntington Bay has taken action to reduce the direct discharge of stormwater to the surrounding surface water via the enforcement of a strict on site leaching design criteria. In addition, the Village has installed roadway leaching systems in Village and Association ROWs to reduce roadway discharge to the surface water. New Code sections have been adopted to prohibit feeding of wildfowl and dog waste bag stations have been installed. Discharge mapping and the IDDE program is in place to monitor all direct discharges to the surface waters.

There is a possibility that there are existing poorly functioning on site sanitary systems within the Village which contribute to water quality issues in the surrounding surface waters. The Village requires that applications for Building Permits and Site Plans comply

with SCDHS criteria regarding on site sanitary systems. The SCDHS requires that existing septic systems be inspected and repaired/replaced in accordance with the attached Memorandums. These Memorandums are summarized below:

If the CO for the house/structure was issued prior to 1973 and the applicant is increasing the number of bedrooms a SCDHS approval is required. The definition of bedrooms is provided in the attached memos.

If the CO for the house is post 1973 and the renovation will result in more than 4 bedrooms. The only caveat is a renovation where the applicant can produce a SCDHS approval that shows the system installed was for more than 4 bedrooms.

All apartment applications in our Village require SCDHS approval.

*Full house demolition and reconstruction.
The existing system needs to be moved.*

These SCDHS requirements however do not address homes/structures having a CO that predates 1973, which are proposing renovations that do not increase the number of bedrooms. There are renovations of homes in the Village which meet the criteria for Site Plan approval review (20%) modification of floor area and/or Waterfront Zone that were constructed over 40 years ago that are not proposing addition of a bedroom and do not meet the SCDHS threshold criteria requiring review. These applicants are not required to establish that their existing on site sanitary system is fully operational and compliant with the current SCDHS regulations. There is a potential that the existing systems are not operating correctly and do not have sufficient capacity for the single family home or structure.

The Village Building Inspector and Administrator will document that each Site Plan applicant has received the Site Plan check list and septic system conditions. A list of properties which have been subject to the Village requirement will be maintained to judge/document the effectiveness of the provision.

A copy of the Site Plan and Steep Slope Check list including the septic provisions will be posted on the web site.

All Site Plan applications submitted to the Village of Huntington Bay must comply with the attached SCDHS Memorandum Requirements which are summarized below:

- *If the CO for the house/structure was issued prior to 1973 and the applicant is increasing the number of bedrooms a SCDHS approval is required. The definition of bedrooms is provided in the attached memos.*
- *If the CO for the house is post 1973 and the renovation will result in more than 4 bedrooms a SCDHS approval is required. The only caveat is a renovation where the applicant can produce a SCDHS approval that shows the system installed was for more than 4 bedrooms.*

- *All apartment applications in our Village require SCDHS approval.*
- *Full house demolition and reconstruction of a new home will require a SCDHS approval.*
- *The relocation of an existing system requires SCDHS approval.*

Site Plan Applications submitted to the Village of Huntington Bay must comply with the following SWMP Criteria:

If your Certificate of Occupancy predates 1973, and your existing septic system is located within 300 ft of surface water including freshwater and tidal wetlands, and you are increasing and/or modifying/constructing sufficient floor area to trigger a Site Plan Review, you must submit a SCDHS “Certification of Existing Surface Subsurface Disposal and Water Supply Facilities for a Single Family Home” Form WWM-072. The Certificate of Inspection must be completed by a qualified professional retained by the applicant.

In the event that the Certificate of Inspection indicates that the existing sanitary system requires modifications, upgrades, repairs and/or replacement the applicant will be required to obtain a “SCDHS Certificate of Constructed Works” approval prior to issuance of a new CO.

The Suffolk County Department of Health Services adopted a new residential code effective July 1, 2021. The new code requires that all new construction must install an IA system. In addition, renovation resulting in increased bedroom count, relocation of an existing system or multiple pump outs in a single year will require that the resident replace the system with an IA system.

The Village Building Inspector and Engineer have included the review of the existing sanitary systems for properties within the waterfront area. Impacted applicants have agreed to the required upgrade of their sanitary system or have provided information which supports that they have a compliant system.

10.1 2025 Reporting Period

During the reporting period the Building Inspector monitored compliance with the Village requirements. In cases where new SCDHS approval was indicated the applicant was required to obtain an approval of the existing or proposed system prior to issuance of a building permit or certificate of occupancy. In most cases renovation and new construction required that the applicant install a new SCDHS Innovative System to reduce nitrogen loading to the groundwater.

Prior to issuance of a Certificate of Occupancy the Building Inspector insures that the as built survey provides locations of the installed water service, sanitary system and stormwater system on the site. If no SCDHS approval was required as part of the building

permit process the as built survey will be utilized to confirm that the applicant complied with required offset distances between the building's water service, stormwater system and sanitary installations.

10.2 2026 Reporting Period Goals

Continue to ensure that when new construction occurs with the Village that the SCDHS regulations which require installation of new Innovative systems which remove nitrogen prior to groundwater occurs. The SCDHS final approval as built plan which bears the "green stamp" will be required prior to CO issuance and be made part of the building department files. Require full as built surveys of each property prior to issuance of C.O.

11.0 GIS Mapping of Village Conveyance System:

The Village owned/maintained stormwater inlets have been previously located using GPS and establishing the Latitude and Longitude locations. The inlets within the Harbor tributary area were not accurately located for download into the NYSDEC database. The data was updated for the Harbor Tributary Area using survey quality GPS location equipment and the data was released to the NYSDEC. Approximately 33% of the inlets have been located using Survey GPS equipment. The remaining inlets were located utilizing a hand held GPS supplemented with address comparison/aerial locations and field measurements. This data was then imported into the GIS map. All discharges which were located under the IDDE Program 2019 update are GIS accuracy reported and are shown on the GIS.

11.1 2025 Reporting Period

The IDDE GIS Outfall Map and the Village Drainage Map have been coordinated and are available on the website.

11.2 2026 Reporting Period Goals

The Village installed additional drainage improvements in 2025. The locations of the inlets will be incorporated into the GIS map. The inlets installed in 2025 do not result in new discharges to surface water. All new inlets are tributary to leaching systems.

12.0 Local Waterfront Revitalization Program (LWRP):

The Village does not currently have an approved LWRP in place. The Village jurisdiction along the waterfront is currently limited to the mean high water (MHW) location. The Town of Huntington has jurisdiction/control over use of the underwater land adjacent to the Village. The LWRP will study current land use zoning along the waterfront and how water dependent uses can be accommodated without adversely impacting the environment. The final LWRP will recommend actions that can be taken by the Village of Huntington Bay to improve/revitalize the waterfront area and protect the existing habitat and water

quality of the Huntington Bay and Harbor. Cashin Associates has been retained to prepare the LWRP. The LWRP process includes coordination with a committee of concerned residents.

12.1 2025 Reporting Period:

The Village obtained grant funding from the NYSDOS to support the completion of the LWRP program. During the reporting period the Village/NYSDOS contract agreement was finalized and work on the LWRP moved forward.

12.2 2026 Reporting Period Goals:

The LWRP Contract with the Department of State which will allow release of Grant funding for completion of the report is currently under review. It is the Goal of the Village to obtain an authorized contract in 2025 and restart the LWRP process.

13.0 General Permit Compliance Summary

13.1 Part VI. Minimum Control Measures (MCMs) for Traditional Land Use Control MS4 Operators

13.1.1 MCM 1 – Public Education and Outreach Program

1. Development

a. Focus Areas

Importance of decreasing the impacts of dog waste on the Huntington Harbor impaired surface water. Importance of controlling Fertilizer Application as a method of reducing Nitrogen discharge to the surface waters.

b. Target Audiences

Residents of the Village will be targeted using the Village Web site and outreach to the Road and Beach Associations.

c. Education and Outreach Topics: Control of Fertilizers, Control of dog waste in the Village

d. Illicit Discharge Education

The Village Engineer has received IDDE Training by Cornell Cooperative Exchange in 2020 in addition to representatives of the Road and Beach Associations. The Village has contracted with Cornell Cooperative Exchange to conduct a 2024-2025 Illicit discharge study and train Village officials. The training session will be held at Village Hall and remotely and include invitation of the Road and Beach Association and general public. The notice to the general public will be included on the web site.

The Village website includes an IDDE identification and reporting attachments. [Illicit Discharge brochure.docx \(huntingtonbay.org\)](#)

2. Implementation and Frequency

a. Distribution Method of Educational Messages

Messages will/are advertised on the Village Web site.

[Stormwater Management | huntington-bay \(huntingtonbay.org\)](#)

b. Frequency

The posting on the website will be completed on an as needed basis. It is estimated (2) per year postings.

c. Updates to the Public Education and Outreach Program

No planned updates are scheduled for the 2024-2025 period other than those stated above.

13.1.2 MCM 2 - Public Involvement/Participation

1. Public Involvement/Participation
2. Public Notice and Input Requirements
 - a. Public Notice and Input Requirements for SWMP Plan:
Notice of Draft SWMP provided as part of Trustee Meeting
 - b. Public Notice and Input Requirements for Draft Annual Report
Notice of Draft SWMP provided on Web Site.
 - c. Consideration of Public Input
Comments received at public hearing and review of Draft held on 9/9/24
SWMP Draft was available at Village Hall for 5 days for comments.

13.1.3 MCM 3 - Illicit Discharge Detection and Elimination

1. Illicit Discharge Detection
 - a. Public Reporting of Illicit Discharges
Website information reporting what is an Illicit discharge and reporting procedure is provided. [Microsoft Word - Illicit Discharge brochure.docx \(huntingtonbay.org\)](#)

The 2020 IDDE Study did not locate illicit discharges. The 2024-2025 Illicit Discharge Study Report did not identify outfalls which require monitoring or sampling.

Village representatives responsible for implementation of the IDDE program completed the on line training program created by Cornell Cooperative Exchange in 2025.

13.1.4 MCM 4 - Construction Site Stormwater Runoff Control

1. Applicable Construction Activities/Projects/Sites
All Site Plans reviewed in the Village are reviewed to determine if they require coverage under the General Permit. It should be noted that in the last (5) years only one project qualified under the subdivision section for both erosion control and post construction stormwater management. The project was closed with a notice of Termination.

In 2024 (1) residential Site Plan was required to obtain coverage under the General Permit. An Erosion Control Plan was prepared and an NOI was submitted. A preconstruction meeting was held at the property and the project is under construction and monitored by the owner/contractor. The Building Inspector reviews Site Conditions during inspections.

It should be understood that it is unusual for a single family Site Plan project in the Village of Huntington Bay to exceed the 1 acre limit clearing/disturbance limit for erosion control and 5 acre limit for stormwater management.

2. Public Reporting of Construction Site Complaints

The Village Website provides information regarding reporting of Construction Site Silt Discharge reporting. [Stormwater Management | huntington-bay \(huntingtonbay.org\)](http://stormwater-management-huntington-bay.huntingtonbay.org)

3. Construction Oversight Program

The Village Engineer is responsible for determining when a project is subject to the requirements of the General Permit. Jeffrey P. Vollmuth, P.E. jeff@vollbrush.com.

4. Construction Site Inventory & Inspection Tracking

Construction Sites in the Village are inspected by the Village Building Inspector and in cases where more than 1 acre of clearing is required the sites are typically inspected (1) per month.

It should be noted that the single family residential properties within the Village that are clearing more than an acre by less than 5 acres are not required to have inspections on a weekly basis by a Qualified Inspector. The NYSDEC confirmed that all Village of Huntington Bay single family properties which propose more than 1 acre of clearing but less than 5 acres of clearing are exempt under CGP citation – Part IV.C.1.a-b (page 38-39)

5. Construction Site Prioritization

6. SWPPP Review

Site Plans with Erosion Control details are reviewed by the Village Engineer, Jeffrey Vollmuth, P.E. jeff@vollbrush.com.

7. Pre-Construction Meeting

Required on all projects subject to SWPPP. Village Building Inspector, Village Engineer, General Contractor, Site Contractor and Owner are required attendees.

8. Construction Site Inspections

Construction Site Inspections by the MS4 are typically (1) per month minimum. The Inspections are completed by the Village Engineer or Village Building Inspector.

9. Construction Site Close-out

Final Closeout is based on inspection by the Village Building Inspector or Village Engineer, receipt of an as built survey showing the improved site, finish grades, drainage installations, sanitary installation and water services. The Village requires a SCDHS as built approval for the installed sanitary system as a condition of release.

13.1.5 MCM 5 – Post-Construction Stormwater Management

The Village of Huntington Bay has not encountered a project in 5 years which required post construction stormwater infrastructure. Single family development in the Village is typically limited to less than 1 acre of clearing. Single family projects having an area of clearing of <5 acres are not subject to the NYSDEC requirements of the GCP.

1. Applicable Post-Construction SMPs

In the Village of Huntington Bay private drains are designed based on a 4 inch rainfall criteria which exceeds NYSDEC requirements.

2. Post-Construction SMP Inventory & Inspection Tracking

If a SMP is required the inspections will be tracked via email reporting and digital log.

3. SWPPP Review

All residential projects < 5 acres.

4. Post-Construction SMP Inspection & Maintenance Program

If a project requires stormwater installations other than standard leaching pools and a discharge to the surface water is approved the Village will annually inspect the system. If the system requires maintenance or repair the Village Building Inspector will issue a notice of required corrective action.

13.1.6 MCM 6 – Pollution Prevention and Good Housekeeping

1. Best Management Practices (BMPs) for Municipal Facilities & Operations

a. Minimize Exposure: All vehicles are maintained offsite.

b. Follow a Preventive Maintenance Program NA

c. Spill Prevention and Response Procedures: NA

d. Erosion and Sediment Controls: Not required

e. Manage Vegetated Areas and Open Space on Municipal Property: Landscape Contractor retained to manage the Village Hall property and the drainage parcel.

f. Salt Storage Piles or Pile Containing Salt: Purchased offset at Town of Huntington Facility

g. Waste, Garbage, removed from Village property under private contract. Floatable Debris is not an issue based on the fact that the Village does not own waterfront.

h. Alternative Implementation Options

2. Municipal Facilities

a. Municipal Facility Program

b. Municipal Facility Inventory

c. Municipal Facility Prioritization

d. High Priority Municipal Facility Requirements

e. Low Priority Municipal Facility Requirements

The Village Facilities are limited to the Village Hall property. The property is tributary to on site stormwater leaching pools and a sanitary system. The stormwater leaching pools are inspected annually and cleaned on an as needed basis. The Village does not service its vehicles on this property. All Village vehicles are serviced/cleaned outside the Village using commercial vendors.

2. Municipal Operations & Maintenance

- a. Municipal Operations Program
- b. Municipal Operations Corrective Actions

b. Catch Basin Inspection and Maintenance

The Village is responsible for maintaining 134 inlets in the Village owned ROWs and Private ROW where the Village has agreed to maintain inlets. All inlets are inspected annually. The Village Budget includes sufficient funds to clean 50% of the basins each year. The inlets are associated with stormwater leaching basins with the exception of 11 inlet/outfalls on East Shore Road.

c. Roads, Bridges, Parking Lots, & Right of Way Maintenance

Village ROWs are swept a minimum of once per year. Material removed is transported to a NYSDEC approved facility outside of the Village. The Village has entered into an agreement with the Town of Huntington. The Town is responsible for sweeping of Village roadways and disposal of material.

13.2 Part VIII. Enhanced Requirements for Impaired Waters

13.2.1 Pollutant Specific BMPs for Pathogens

1. Mapping

Village of Huntington Bay has mapped all inlets on their overall Map. The mapping of outfalls is based on location data provided by Cornell Cooperative Extension which created the 2020 report. Cornell updated the IDDE survey in 2024. The updated map of outfalls is available on the website via a link to the Cornell website. The Village also maintains its own map of outfalls and inlets.

2. Public Education and Outreach

Village Trustee Meetings include discussions regarding the importance of maintaining dog waste bag stations and reporting malfunction of septic systems. IDDE training of Village staff and Road Association representatives will be held in the 2024-2025 period. The 2024 IDDE survey is posted on the Village web site for review and the updated one will be posted.

4. Illicit Discharge Detection and Elimination

An updated IDDE survey update was completed in 2024 and it did not identify the presence of illicit discharges.

5. Pollution Prevention and Good Housekeeping

a. Infrastructure Maintenance

There are Inlet inserts installed on East Shore Road Basins which discharge to the Harbor. The FABCO filters are replaced annually by the Village and they are designed to remove pathogens.

b. Wildlife Control

There are no significant locations within the Village ROWs where geese have become a nuisance and/or potentially impact water quality. The Village however has decided to erect (6) signs which encourage residents not to feed the wildlife. There will be (3) signs along the East Shore Road Corridor ROW which abuts the Harbor and (3) signs at the locations where Village Roads terminate at the Bay/Beach. The signs will be erected in 2026.

c. Animal Waste Control

There are 10 dog waste bag stations are maintained by the Village and an existing Code section regarding dog waste.

6. Planned Upgrades to Municipal Facilities in Sewer sheds to Impaired Waters

The Village has applied for received Grant funding to install leaching pools within the drainage basin associated with Huntington Bay. In addition the Village received grant funding to improve the existing Bay Hills, Shore Drive discharge to the Bay. New catch basin inlets with FABCO pathogen removal filters were installed on the existing discharge. A backflow prevention device was also installed to prevent flooding of Shore Drive during storm surges.

The stormwater system at the intersection of Kaness Lane and East Shore Road has been studied and Grant Funding will be explored to modify the inlets to accept FABCO Filters to pretreat prior to the discharge to the Harbor.

14.0 Village Code Sections:

There are Existing Village Codes Which Address MS4 Requirements and Enforcement are available for review online [Village of Huntington Bay, NY The Code \(ecode360.com\)](http://Village of Huntington Bay, NY The Code (ecode360.com)). A link is also provided on the Village web site.

| | |
|----------------|---|
| Chapter 15A: | Commercial Landscaping and Tree Service Contractors |
| Chapter 19: | Waterfowl and Goose Feeding |
| Chapter 20: | Dogs and Other Animals |
| Chapter 73: | Steep Slopes |
| Chapter 73A: | Stormwater Runoff |
| Chapter 73B: | Erosion and Sediment Control; Stormwater Management |
| Chapter 73C: | Illicit Discharges and Connections |
| Chapter 89: | Wetlands Protection |
| Chapter 91-11E | Site Plan |